SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Version 6.18
Revision Date 31.07.2026
Print Date 06.08.2026

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Acetic acid (glacial) 100% anhydrous for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Product Number : 1.00063
Catalogue No. : 100063
Brand : Millipore
Index-No. : 607-002-00-6
REACH No. : 01-2119475328-30-XXXX
CAS-No. : 64-19-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis, Chemical production

1.3 Details of the supplier of the safety data sheet

Company : Merck Pty Ltd.
259 Davidson Road, Corner Peddie Road
WADEVILLE, GERMISTON
1428
SOUTH AFRICA

Telephone : +27 (0) 8600 63725
Fax : +27 (0) 860 522 329

1.4 Emergency telephone number

Emergency Phone # : 0-800-983-611 (CHEMTREC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Skin corrosion, Sub-category 1A	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.

The life science business of Merck operates as MilliporeSigma in the US and Canada

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

Signal word : Danger

Hazard statements :

H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.

Precautionary statements :

Prevention:

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Reduced Labelling (<= 125 ml)

Hazard pictograms :

Signal word	Danger
Hazard Statements	
H314	Causes severe skin burns and eye damage.
Precautionary Statements	
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

The life science business of Merck operates as MilliporeSigma in the US and Canada

rinsing.

Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Index-No. : 607-002-00-6

EC-No. : 200-580-7

Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)	M-Factor, SCL, ATE
acetic acid	64-19-7 200-580-7	>= 90 - <= 100	specific concentration limit Skin Corr. 1A; H314 >= 90 % Skin Corr. 1B; H314 25 - < 90 % Skin Irrit. 2; H315 10 - < 25 % Eye Irrit. 2; H319 10 - < 25 % Flam. Liq. 3; H226 > 80 %

SECTION 4: First aid measures

4.1 Description of first aid measures

The life science business of Merck operates as MilliporeSigma in the US and Canada

General advice	:	First aiders need to protect themselves. Show this safety data sheet to the doctor in attendance.
If inhaled	:	After inhalation: fresh air. Call in physician.
In case of skin contact	:	In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.
In case of eye contact	:	After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.
If swallowed	:	After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2 GHS label elements) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Water Foam Carbon dioxide (CO2) Dry powder
Unsuitable extinguishing media	:	For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting	:	Combustible. Fire may cause evolution of: Acetic acid vapours Vapours are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.
Hazardous combustion products	:	Carbon oxides

5.3 Advice for firefighters

The life science business of Merck operates as MilliporeSigma in the US and Canada

Special protective equipment for fire-fighters	:	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.
Further information	:	Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Wear appropriate personal protective equipment, as indicated in Section 8.

6.2 Environmental precautions

Environmental precautions	:	Do not let product enter drains. Risk of explosion.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H^+, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion	:	Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.
Hygiene measures	:	Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.
Temperature class	:	T1

For precautions see section 2 GHS label elements

The life science business of Merck operates as MilliporeSigma in the US and Canada

7.2 Conditions for safe storage, including any incompatibilities

Further information on storage conditions	:	Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.
Storage class (TRGS 510)	:	3, Flammable liquids
Further information on storage stability	:	Recommended storage temperature see product label.
Recommended storage temperature	:	Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

8.2 Exposure controls

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection	:	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles
Hand protection		
Material	:	butyl-rubber
Break through time	:	480 min
Glove thickness	:	0,7 mm
Protective index	:	Full contact
Manufacturer	:	Butoject® (KCL 898)
Material	:	Latex gloves
Break through time	:	30 min
Glove thickness	:	0,6 mm
Protective index	:	Splash contact
Manufacturer	:	Lapren® (KCL 706 / Aldrich Z677558, Size M)
Remarks	:	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).
Skin and body protection	:	Flame retardant antistatic protective clothing.

The life science business of Merck operates as MilliporeSigma in the US and Canada

Respiratory protection	:	required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.
Recommended Filter type:	:	filter E-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.
These measures have to be properly documented.

Environmental exposure controls

Advice	:	Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid (20 °C, 1.013 hPa)
Colour	:	colourless
Odour	:	stinging
Odour Threshold	:	0,2 ppm
Melting point/ range	:	16,64 °C
Boiling point/boiling range	:	117,9 °C (1.013,25 hPa)
Flammability	:	No data available
Upper explosion limit / Upper flammability limit	:	Upper explosion limit 19,9 %(V) (59,0 °C)
Lower explosion limit / Lower flammability limit	:	Lower explosion limit 4 %(V)
Flash point	:	39 °C(1.013 hPa) Method: closed cup, closed cup
Autoignition temperature	:	463 °C

The life science business of Merck operates as MilliporeSigma in the US and Canada

Decomposition temperature	:	Distillable in an undecomposed state at normal pressure.
pH	:	2,5 (20 °C) Concentration: 50 g/l
Viscosity		
Viscosity, dynamic	:	1,05 mPa.s (25 °C)
Viscosity, kinematic	:	1,17 mm2/s (20 °C)
Flow time	:	No data available
Solubility(ies)		
Water solubility	:	602,9 g/l (25 °C, 1.013 hPa) pH: 7 completely soluble
Partition coefficient: n-octanol/water	:	log Pow: -0,17 (25 °C) pH: 7 Method: (experimental) Bioaccumulation is not expected. (ECHA)
Vapour pressure	:	20,79 hPa (25 °C)
Relative density	:	No data available
Density	:	1,05 g/cm3 (20 °C)
Relative vapour density	:	2,07

9.2 Other information

Explosives	:	Not classified as explosive.
Oxidizing properties	:	none
Burning rate	:	No data available
Self-ignition	:	463 °C

The life science business of Merck operates as MilliporeSigma in the US and Canada

Evaporation rate	:	No data available
Surface tension	:	28,8 mN/m, 10,0 °C
Refractive index	:	1,37 at 20 °C
Molecular weight	:	60,05 g/mol

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapour/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Hazardous reactions : Risk of explosion with:

peroxi compounds
perchloric acid
fuming sulfuric acid
phosphorus halides
hydrogen peroxide
chromium(VI) oxide
potassium permanganate
Peroxides
Strong oxidizing agents
Risk of ignition or formation of inflammable gases or vapours with:
Iron
Zinc
magnesium
Mild steel
Possible formation of:

Hydrogen

Violent reactions possible with:

strong alkalis
Aldehydes
alkali hydroxides
nonmetallic halides
ethanolamine
Acetaldehyde
Alcohols
halogen-halogen compounds

The life science business of Merck operates as MilliporeSigma in the US and Canada

chlorosulfonic acid
chromosulfuric acid
Potassium hydroxide
Nitric acid

10.4 Conditions to avoid

Conditions to avoid : Heating.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

For Hazardous combustion products in the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity
LD50 Oral - Rat - 3.310 mg/kg
Remarks: (RTECS)
LC50 Inhalation - Mouse - 4 h - 2.819 mg/l - vapour

Remarks: (RTECS)
Dermal: No data available

Skin corrosion/irritation
Skin - Rabbit
Result: Causes burns. - 4 h
(OECD Test Guideline 404)
Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation
Eyes - Rabbit
Result: Causes burns. - 4 h
(OECD Test Guideline 405)
Remarks: (IUCLID)
Remarks: Causes serious eye damage.

Respiratory or skin sensitization
No data available

Germ cell mutagenicity
Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
Test Type: Mutagenicity (mammal cell test): chromosome aberration.
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Test Type: Micronucleus test
Species: Rat

The life science business of Merck operates as MilliporeSigma in the US and Canada

Cell type: Bone marrow
Application Route: inhalation (vapour)
Method: Mutagenicity (micronucleus test)
Result: negative

Carcinogenicity
No data available

Reproductive toxicity
No data available

Specific target organ toxicity - single exposure
No data available

Specific target organ toxicity - repeated exposure
No data available

Aspiration hazard
No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Ingestion or inhalation of concentrated acetic acid causes damage to tissues of the respiratory and digestive tracts. Symptoms include: hematemesis, bloody diarrhea, edema and/or perforation of the esophagus and pylorus, pancreatitis, hematuria, anuria, uremia, albuminuria, hemolysis, convulsions, bronchitis, pulmonary edema, pneumonia, cardiovascular collapse, shock, and death. Direct contact or exposure to high concentrations of vapor with skin or eyes can cause: erythema, blisters, tissue destruction with slow healing, skin blackening, hyperkeratosis, fissures, corneal erosion, opacification, iritis, conjunctivitis, and possible blindness.
To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Components:

acetic acid:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l End point: mortality Exposure time: 96 h

The life science business of Merck operates as MilliporeSigma in the US and Canada

Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1.000 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EC50 (Skeletonema costatum): > 1.000 mg/l Exposure time: 72 h Test Type: static test Method: ISO 10253 GLP: yes
Toxicity to microorganisms	:	EC5 (Pseudomonas putida): 2.850 mg/l Exposure time: 16 h Remarks: neutral (maximum permissible toxic concentration) (Lit.) EC50 (Photobacterium phosphoreum): 11 mg/l Exposure time: 15 min Test Type: microtox test Remarks: (IUCLID)

12.2 Persistence and degradability

Components:

acetic acid:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 99 % Exposure time: 30 d Method: OECD Test Guideline 301D Remarks: (HSDB) Result: Readily eliminated from water Biodegradation: 95 % Exposure time: 5 d Method: OECD Test Guideline 302B
Biochemical Oxygen Demand (BOD)	:	880 mg/g Incubation time: 5 d Remarks: (Lit.)
BOD/ThOD	:	76 % Remarks: (IUCLID)

The life science business of Merck operates as MilliporeSigma in the US and Canada

12.3 Bioaccumulative potential

Components:

acetic acid:

Partition coefficient: n-octanol/water	:	log Pow: -0,17 (25 °C) pH: 7 Method: (experimental) Remarks: Bioaccumulation is not expected. (ECHA)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

acetic acid:

Assessment	:	Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

12.6 Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information	:	Biological effects: Harmful effect due to pH shift. Caustic even in diluted form. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

The life science business of Merck operates as MilliporeSigma in the US and Canada

Product	:	Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 2789
IMDG	:	UN 2789
IATA	:	UN 2789

14.2 UN proper shipping name

ADR	:	ACETIC ACID, GLACIAL
IMDG	:	ACETIC ACID, GLACIAL
IATA	:	Acetic acid, glacial

14.3 Transport hazard class(es)

		Class	Subsidiary risks
ADR	:	8	3
IMDG	:	8	3
IATA	:	8	3

14.4 Packing group

ADR

Packing group	:	II
Classification Code	:	CF1
Hazard Identification Number	:	83
Labels	:	8 (3)
Tunnel restriction code	:	(D/E)

IMDG

Packing group	:	II
Labels	:	8 (3)
EmS Code	:	F-E, S-C

IATA (Cargo)

Packing instruction (cargo aircraft)	:	855
Packing instruction (LQ)	:	Y840
Packing group	:	II
Labels	:	Class 8 - Corrosive substances, Class 3 - Flammable liquids

IATA_P (Passenger)

Packing instruction	:	851

The life science business of Merck operates as MilliporeSigma in the US and Canada

(passenger aircraft)
Packing instruction (LQ) : Y840
Packing group : II
Labels : Class 8 - Corrosive substances, Class 3 - Flammable liquids

14.5 Environmental hazards

ADR
Environmentally hazardous : no

IMDG
Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3: acetic acid Number on list 3 Number on list 40 This substance/mixture shall not be used in aerosol dispensers intended for supply to the general public for entertainment and decorative purposes. Number on list 75 If you intend to use this product as tattoo ink, please contact your vendor.
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	:	Not applicable

The life science business of Merck operates as MilliporeSigma in the US and Canada

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	P5c	FLAMMABLE LIQUIDS

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Full text of H-Statements

H226	:	Flammable liquid and vapour.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H226	:	Flammable liquid and vapour.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.

Full text of other abbreviations

Eye Dam.	:	Serious eye damage
Flam. Liq.	:	Flammable liquids
Skin Corr.	:	Skin corrosion
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Eye Irrit.	:	Eye irritation
Flam. Liq.	:	Flammable liquids

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL -

The life science business of Merck operates as MilliporeSigma in the US and Canada

Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.
Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

REG_EU / EN

The life science business of Merck operates as MilliporeSigma in the US and Canada

Annex: Exposure scenario

Identified uses:

Use: Industrial use

SU 3: Industrial uses: Uses of substances as such or in preparations at industrial sites
SU 3, SU9, SU 10: Industrial uses: Uses of substances as such or in preparations at industrial sites, Manufacture of fine chemicals, Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)
PC19: Intermediate **PC21:** Laboratory chemicals **PC39:** Cosmetics, personal care products
PROC1: Use in closed process, no likelihood of exposure **PROC2:** Use in closed, continuous process with occasional controlled exposure **PROC3:** Use in closed batch process (synthesis or formulation) **PROC4:** Use in batch and other process (synthesis) where opportunity for exposure arises **PROC5:** Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact) **PROC8a:** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities **PROC8b:** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities **PROC9:** Transfer of substance or preparation into small containers (dedicated filling line, including weighing) **PROC10:** Roller application or brushing **PROC13:** Treatment of articles by dipping and pouring **PROC14:** Production of preparations or articles by tabletting, compression, extrusion, pelletisation **PROC15:** Use as laboratory reagent
ERC1, ERC2, ERC4, ERC6a, ERC6b: Manufacture of substances, Formulation of preparations, Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use resulting in manufacture of another substance (use of intermediates), Industrial use of reactive processing aids

Use: Professional use

SU 22: Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
SU 22: Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
PC21: Laboratory chemicals **PC39:** Cosmetics, personal care products
PROC15: Use as laboratory reagent
ERC2, ERC6a, ERC6b, ERC8a, ERC8d: Formulation of preparations, Industrial use resulting in manufacture of another substance (use of intermediates), Industrial use of reactive processing aids, Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems

Use: Consumer use

SU 21: Consumer uses: Private households (= general public = consumers)
SU 21: Consumer uses: Private households (= general public = consumers)

The life science business of Merck operates as MilliporeSigma in the US and Canada

PC39: Cosmetics, personal care products
ERC8a, ERC8d: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems

1. Short title of Exposure Scenario: Industrial use

Main User Groups	:	**SU 3**
Sectors of end-use	:	**SU 3, SU9, SU 10**
Chemical product category	:	**PC19, PC21, PC39**
Process categories	:	**PROC1, PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC14, PROC15**
Environmental Release Categories	:	**ERC1, ERC2, ERC4, ERC6a, ERC6b:**

2.2 Contributing scenario controlling worker exposure for: PROC1

Product characteristics

Concentration of the Substance in Mixture/Article	:	Covers the percentage of the substance in the product up to 100 % (unless stated differently).
Physical Form (at time of use)	:	High volatile liquid

Frequency and duration of use

Frequency of use	:	5 days/week
Frequency of use	:	8 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor	:	Indoor

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves tested to EN374.

2.2 Contributing scenario controlling worker exposure for: PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC14, PROC15

Product characteristics

Concentration of the Substance in Mixture/Article	:	Covers the percentage of the substance in the product up to 100 % (unless stated differently).
Physical Form (at time of use)	:	High volatile liquid

Frequency and duration of use

Frequency of use	:	5 days/week
Frequency of use	:	8 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor	:	Indoor with local exhaust ventilation (LEV)

The life science business of Merck operates as MilliporeSigma in the US and Canada

Organisational measures to prevent /limit releases, dispersion and exposure
Covers daily exposures up to 8 hours.

Conditions and measures related to personal protection, hygiene and health evaluation
Wear suitable gloves tested to EN374.

3. Exposure estimation and reference to its source

Environment

A chemical safety assessment was performed according REACH Article 14(3), Annex I, sections 3 (Environmental Hazard assessment) and 4 (PBT/vPvB Assessment). As no hazard was identified, an exposure assessment and risk characterisation is not necessary (REACH Annex I section 5.0).

Workers

Contributing Scenario	Exposure Assessment Method	Specific conditions	Value	Level of Exposure	RCR*
PROC1	ECETOC TRA	longterm, inhalative, local			0,001

*Risk characterisation ratio

PROC2	ECETOC TRA	longterm, inhalative, local			0,1
PROC3	ECETOC TRA	longterm, inhalative, local			0,25
PROC4	ECETOC TRA	longterm, inhalative, local			0,2
PROC5	ECETOC TRA	longterm, inhalative, local			0,5
PROC8a	ECETOC TRA	longterm, inhalative, local			0,5
PROC8b	ECETOC TRA	longterm, inhalative, local			0,15
PROC9	ECETOC TRA	longterm, inhalative, local			0,5
PROC10	ECETOC TRA	longterm, inhalative, local			0,5
PROC13	ECETOC TRA	longterm, inhalative, local			0,5
PROC14	ECETOC TRA	longterm, inhalative, local			0,5
PROC15	ECETOC TRA	longterm, inhalative, local			0,1

*Risk characterisation ratio

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.

The life science business of Merck operates as MilliporeSigma in the US and Canada

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

1. Short title of Exposure Scenario: Professional use

Main User Groups	:	**SU 22**
Sectors of end-use	:	**SU 22**
Chemical product category	:	**PC21, PC39**
Process categories	:	**PROC15**
Environmental Release Categories	:	**ERC2, ERC6a, ERC6b, ERC8a, ERC8d:**

2.2 Contributing scenario controlling worker exposure for: PROC15

Product characteristics

Concentration of the Substance in Mixture/Article	:	Covers the percentage of the substance in the product up to 100 % (unless stated differently).
Physical Form (at time of use)	:	High volatile liquid

Frequency and duration of use

Frequency of use	:	5 days/week
Frequency of use	:	8 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor	:	Indoor with local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves tested to EN374.

3. Exposure estimation and reference to its source

Environment

A chemical safety assessment was performed according REACH Article 14(3), Annex I, sections 3 (Environmental Hazard assessment) and 4 (PBT/vPvB Assessment). As no hazard was identified, an exposure assessment and risk characterisation is not necessary (REACH Annex I section 5.0).

Workers

Contributin	Exposure	Specific	Value	Level of	RCR*

The life science business of Merck operates as MilliporeSigma in the US and Canada

g Scenario	Assessment Method	conditions		Exposure	
PROC15	ECETOC TRA	longterm, inhalative, local			0,2

*Risk characterisation ratio

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.
Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

---

1. Short title of Exposure Scenario: Consumer use

Main User Groups : **SU 21**
Sectors of end-use : **SU 21**
Chemical product category : **PC39**
Environmental Release Categories : **ERC8a, ERC8d:**

3. Exposure estimation and reference to its source

Environment

A chemical safety assessment was performed according REACH Article 14(3), Annex I, sections 3 (Environmental Hazard assessment) and 4 (PBT/vPvB Assessment). As no hazard was identified, an exposure assessment and risk characterisation is not necessary (REACH Annex I section 5.0).

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

The life science business of Merck operates as MilliporeSigma in the US and Canada

The life science business of Merck operates as MilliporeSigma in the US and Canada