SAFETY DATA SHEET

Version 8.14
Revision Date 11.09.2025
Print Date 12.09.2025

SECTION 1: Identification of the hazardous chemical and of the supplier

1.1 Product identifiers

Product name : Sodium hydroxide pellets for analysis EMSURE®

Product Number : 1.06498
Catalogue No. : 106498
Brand : Millipore
CAS-No. : 1310-73-2

1.2 Other means of identification

No data available

1.3 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis, Chemical production

1.4 Details of the supplier of the safety data sheet

Company : Merck Sdn. Bhd.
Co. No: 178145
No. 4, Jalan U1/26, Section U1,
40150 HICOM GLENMARIE INDUSTRIAL PARK,SHAH ALA
MALAYSIA

Telephone : +60 (0)3-74943688
Fax : +60 (0)3-74910850

1.5 Emergency telephone number

Emergency Phone # : 1-800-815-308 (CHEMTREC) * +60 3-9212 5794 (CHEMTREC Intl.)

SECTION 2: Hazards identification

Classification of the hazardous chemical

Corrosive to metals : Category 1

Skin corrosion/irritation : Category 1A

Serious eye damage/eye irritation : Category 1

The life science business of Merck operates as MilliporeSigma in the US and Canada

Label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary statements :

Prevention:

P234 Keep only in original container.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.

Storage:

P405 Store locked up.
P406 Store in corrosive resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

The life science business of Merck operates as MilliporeSigma in the US and Canada

Substance / Mixture : Substance

Components

Chemical name	CAS-No.	Concentration (% w/w)
sodium hydroxide	1310-73-2	>= 60 -<= 100

SECTION 4: First aid measures

General advice : First aiders need to protect themselves.
Show this safety data sheet to the doctor in attendance.

If inhaled : After inhalation: fresh air. Call in physician.

In case of skin contact : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.
Call a physician immediately.

In case of eye contact : After eye contact: rinse out with plenty of water.
Immediately call in ophthalmologist.
Remove contact lenses.

If swallowed : After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation).
Call a physician immediately.
Do not attempt to neutralise.

Most important symptoms and effects, both acute and delayed : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

SECTION 5: Firefighting measures

Extinguishing media

Unsuitable extinguishing media : Water
Foam

Specific hazards during fire fighting : Not combustible.

Ambient fire may liberate hazardous vapours.

Hazardous combustion : Sodium oxides

The life science business of Merck operates as MilliporeSigma in the US and Canada

products

Special protective equipment and precautions for fire-fighters

Special protective equipment for fire-fighters	:	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.
Specific extinguishing methods	:	Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	:	Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.
Environmental precautions	:	Do not let product enter drains.
Methods and materials for containment and cleaning up	:	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7: Handling and storage

Handling

For precautions see section 2.2.

Precautions for safe handling

Storage

Conditions for safe storage, including any incompatibilities

Conditions for safe storage	:	No aluminium, tin, or zinc containers. No metal containers.

The life science business of Merck operates as MilliporeSigma in the US and Canada

Further information on storage conditions	:	Tightly closed. Dry.
Storage class	:	8B, Non-combustible, corrosive hazardous materials
Recommended storage temperature	:	Recommended storage temperature see product label.
Further information on storage stability	:	Recommended storage temperature see product label.

SECTION 8: Exposure controls and personal protection

Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sodium hydroxide	1310-73-2	CEIL	2 mg/m3	MY PEL
		C	2 mg/m3	ACGIH

Appropriate engineering controls : No data available

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Tightly fitting safety goggles

Skin protection : protective clothing

Hand protection

Material	:	Nitrile rubber
Break through time	:	480 min
Glove thickness	:	0.11 mm
Protective index	:	Full contact
Manufacturer	:	KCL 741 Dermatril® L

Material	:	Nitrile rubber
Break through time	:	480 min
Glove thickness	:	0.11 mm
Protective index	:	Splash contact
Manufacturer	:	KCL 741 Dermatril® L

Remarks : This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the

The life science business of Merck operates as MilliporeSigma in the US and Canada

supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Respiratory protection	:	required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.
Recommended Filter type:	:	Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hygiene measures	:	Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

Appearance	:	solid (20 °C , 1,013 hPa)
Color	:	white
Odor	:	odourless
Odor Threshold	:	Not applicable
pH	:	ca. > 14 (20 °C) Concentration: 100 g/l
Melting point	:	318 °C
Boiling point	:	1,390 °C (1,013 hPa)
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	The product is not flammable.

The life science business of Merck operates as MilliporeSigma in the US and Canada

Flammability (liquids)	:	No data available
Burning rate	:	No data available
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapor pressure	:	No data available
Relative vapour density	:	1.38 (Air = 1.0)
Relative density	:	No data available
Density	:	2.13 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	1,090 g/l (20 °C)
Partition coefficient: n-octanol/water	:	Not applicable for inorganic substances
Autoignition temperature	:	Not applicable
Decomposition temperature	:	No data available
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Flow time	:	No data available
Explosive properties	:	Not classified as explosive.
Oxidizing properties	:	none
Molecular weight	:	40 g/mol
Metal corrosion rate	:	May be corrosive to metals.
Particle characteristics Particle size	:	No data available

SECTION 10: Stability and reactivity

The life science business of Merck operates as MilliporeSigma in the US and Canada

Reactivity	:	No data available
Chemical stability	:	The product is chemically stable under standard ambient conditions (room temperature) .
Possibility of hazardous reactions	:	Violent reactions possible with: Acetone Chlorine Ethylene oxide Fluorine Hydrogen halides Hydrazine hydrate hydroxylamine Acid anhydrides Acrolein Acid chlorides Acids sulfuric acid Chloroform Water hydrogen peroxide anhydrides phosphides halogen-halogen compounds trichloroethene can decompose violently in contact with: Organic Substances hydrogen sulphide Risk of ignition or formation of inflammable gases or vapours with: powdered aluminium Ammonium salts persulfates Sodium borohydride phosphorus Oxides of phosphorus Halogenated hydrocarbon Light metals Metals Risk of explosion/exothermic reaction with: Bromine Calcium in powder form furfuryl alcohol Nitromethane Peroxides organic nitro compounds Nitriles Acrylic monomers Chloroform with Acetone Nitrobenzene

The life science business of Merck operates as MilliporeSigma in the US and Canada

		with Methanol Nitrobenzene with salts magnesium Zinc and Tin (in the presence of atmospheric oxygen and/or moisture)
Conditions to avoid	:	no information available
Incompatible materials	:	No data available
Hazardous decomposition products	:	In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity
Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.
Symptoms: burns of mucous membranes, Cough, Shortness of breath, Possible damages:, damage of respiratory tract
Dermal: No data available

Skin corrosion/irritation
Skin - Rabbit
Result: Causes burns.
Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Serious eye damage/eye irritation
Eyes - Rabbit
Result: Causes serious eye damage.
(OECD Test Guideline 405)
Remarks: (Regulation (EC) No 1272/2008, Annex VI)
Remarks: Causes serious eye damage.

Respiratory or skin sensitization
Patch test: - In vitro study
Result: negative
Remarks: (ECHA)

Germ cell mutagenicity
No data available

Carcinogenicity
No data available

Reproductive toxicity
No data available

Specific target organ toxicity - single exposure

The life science business of Merck operates as MilliporeSigma in the US and Canada

No data available

Specific target organ toxicity - repeated exposure
No data available

Aspiration hazard
No data available

11.2 Additional Information

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

Ecotoxicity

Components:

sodium hydroxide:

Toxicity to fish	:	LC50 (Gambusia affinis (Mosquito fish)): 125 mg/l Exposure time: 96 h Remarks: (ECOTOX Database)
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia (water flea)): 40.4 mg/l End point: Immobilization Exposure time: 48 h Remarks: (ECHA)
Toxicity to microorganisms	:	EC50 (Photobacterium phosphoreum): 22 mg/l Exposure time: 15 min Remarks: (External MSDS)

Ecotoxicology Assessment

Chronic aquatic toxicity	:	This product has no known ecotoxicological effects.

Persistence and degradability

Components:

sodium hydroxide:

Biodegradability	:	Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

The life science business of Merck operates as MilliporeSigma in the US and Canada

Bioaccumulative potential

Components:

sodium hydroxide:

Partition coefficient: n-octanol/water : Remarks: Not applicable for inorganic substances

Mobility in soil

No data available

Other adverse effects

Components:

sodium hydroxide:

Results of PBT and vPvB assessment : PBT/vPvB: Not applicable for inorganic substances

Additional ecological information : Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Neutralisation possible in waste water treatment plants.

Discharge into the environment must be avoided.

SECTION 13: Disposal information

Disposal methods

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

According to Quality Environment Regulation (Scheduled Waste) 2005, waste need to be sent to designated premise for recycle, treatment or disposal. Please contact Kualiti Alam for waste classification and correct disposal method.

SECTION 14: Transport information

International Regulations

IATA-DGR

UN/ID No. : UN 1823

Proper shipping name : Sodium hydroxide, solid

The life science business of Merck operates as MilliporeSigma in the US and Canada

Class	:	8
Packing group	:	II
Labels	:	Class 8 - Corrosive substances
Packing instruction (cargo aircraft)	:	863
Packing instruction (passenger aircraft)	:	859

IMDG-Code

UN number	:	UN 1823
Proper shipping name	:	SODIUM HYDROXIDE, SOLID
Class	:	8
Packing group	:	II
Labels	:	8
EmS Code	:	F-A, S-B
Marine pollutant	:	no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

Safety, health, and environmental regulations specific for the hazardous chemical

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.
Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

SECTION 16: Other information

Relevant changes since previous version

Annex		
Revision Date	:	11.09.2025

Further information

Other information	:	The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not

The life science business of Merck operates as MilliporeSigma in the US and Canada

be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.
Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
MY PEL : Malaysia. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

ACGIH / C : Ceiling limit
MY PEL / CEIL : Ceiling limit airborne concentration

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United

The life science business of Merck operates as MilliporeSigma in the US and Canada

States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

MY / EN

The life science business of Merck operates as MilliporeSigma in the US and Canada